






Custom Capacitor Assemblies



Please contact PPI (sales@passiveplus.com) to discuss custom assembly options.

Capacitor Assemblies Offering



◆ Product Features

High Operating Voltage, High Operating Current, Extended Capacitance, Tighter Tolerances,


High Reliability, High Q, Ultra-low ESR, Non-Magnetic.

◆ Typical Applications Field

High Power RF, Medical Electronics, Broadcast, Semiconductor Manufacturing,

High Magnetic Environments, Inductive Heating.

◆ Part Numbering



Capacitance: For capacitor values requiring 3 significant digits,

e.g. 1222.5pF =1222R5

e.g. P6S22P101F252X

Silver bracket assembly with six 2225C pieces in parallel, Capacitance is 100pF, Capacitance tolerance is $\pm 1\%$, WVDC is 2500 V and Laser marking.

e.g. S2S25C1222R5G203X

Silver bracket assembly with two 2225C pieces in series, Capacitance is 1222.5pF, Capacitance tolerance is $\pm 2\%$, WVDC is 20,000V and Laser marking.

◆ Capacitance and Voltage


By Buyer's requirements using existing drawings, mechanical sketches, or we can help with capable modeling of assemblies thermal rise predictions.

◆ Typical Assembly Configurations

① Parallel Assemblies

unit:inch(millimeter)

	1111P/C	2225P/C	3838P/C	6040C	7676C	1313C
Lead Material	Silver-plated Copper or silver					
Lead Thickness	.004 or .010 (0.1 or 0.25)		.010 or .020 (0.25 or 0.51)			
Lead Length (max.)	.50 (12.7)	.75 (19.8)	2.0 (50.8)			
Capacitor Spacer (typ.)	.050 or .078 (1.3 or 2)		.090 (2.3)	.050 or .157 (1.3 or 4)		
Mtg Configuration	Horizontal/Vertical					



3838 Series/Parallel Combination




② Series Assemblies

unit:inch(millimeter)

	2225P/C	3838P/C	6040C	7676C	1313C
Lead Type	L Bracket				
Lead Material	Silver-plated Copper or silver				
Lead Thickness	.010 (0.25)		.010 or .020 (0.25 or 0.51)		
Lead Length (max.)	.75 (19.8)	1.0 (25.4)			
Capacitor Spacer (typ.)	.050 to .157 (1.3 to 4)				
Mtg Configuration	Horizontal				

• Epoxy Molding Available



③ Other Assemblies

By Buyer's requirement